



---

2655 Park Center Dr., Suite A  
Simi Valley, CA 93065  
T: +1 805 526 7161  
F: +1 805 526 7270  
[www.alsglobal.com](http://www.alsglobal.com)

## LABORATORY REPORT

June 26, 2017

Stephanie Madden  
RAPCA  
117 S Main Street  
Dayton, OH 45422

**RE: Community Air Toxics Monitoring 2017 / 2017-1**

Dear Stephanie:

Enclosed are the results of the samples submitted to our laboratory on June 21, 2017. For your reference, these analyses have been assigned our service request number P1702996.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at [www.alsglobal.com](http://www.alsglobal.com). Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

**ALS | Environmental**

By Kate Kaneko at 1:00 pm, 06/26/17

Kate Kaneko  
Project Manager



2655 Park Center Dr., Suite A  
Simi Valley, CA 93065  
T: +1 805 526 7161  
F: +1 805 526 7270  
[www.alsglobal.com](http://www.alsglobal.com)

Client: RAPCA  
Project: Community Air Toxics Monitoring 2017 / 2017-1

Service Request No: P1702996

---

## CASE NARRATIVE

The samples were received intact under chain of custody on June 21, 2017 and were stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the samples at the time of sample receipt.

### Sulfur Analysis

The samples were analyzed for twenty sulfur compounds per ASTM D 5504-12 using a gas chromatograph equipped with a sulfur chemiluminescence detector (SCD). All compounds with the exception of hydrogen sulfide and carbonyl sulfide are quantitated against the initial calibration curve for methyl mercaptan. This method is included on the laboratory's NELAP scope of accreditation, however it is not part of the DoD-ELAP accreditation.

### Volatile Organic Compound Analysis

The samples were also analyzed for volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. This procedure is described in laboratory SOP VOA-TO15. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator. This method is included on the laboratory's NELAP and DoD-ELAP scope of accreditation. Any analytes flagged with an X are not included on the NELAP or DoD-ELAP accreditation.

The spike recoveries of carbon disulfide for the Laboratory Control Sample (LCS) analyzed on June 22 and 23, 2017 were outside the laboratory generated control criteria. The recovery errors equate to a potential high bias. However, the spike recovery of the analyte in question was within the method criteria; therefore, the data quality has not been significantly affected. No corrective action was taken.

The containers were cleaned, prior to sampling, down to the method reporting limit (MRL) reported for this project. Please note, projects which require reporting below the MRL could have results between the MRL and method detection limit (MDL) that are biased high.

---

*The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and ALS Environmental (ALS) is not responsible for utilization of less than the complete report.*

*Use of ALS Environmental (ALS)'s Name. Client shall not use ALS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to ALS any test result, tolerance or specification derived from ALS's data ("Attribution") without ALS's prior written consent, which may be withheld by ALS for any reason in its sole discretion. To request ALS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If ALS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use ALS's name or trademark in any Materials or Attribution shall be deemed denied. ALS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of ALS's name or trademark may cause ALS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.*



2655 Park Center Dr., Suite A  
 Simi Valley, CA 93065  
 T: +1 805 526 7161  
 F: +1 805 526 7270  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Environmental – Simi Valley

CERTIFICATIONS, ACCREDITATIONS, AND REGISTRATIONS

Agency	Web Site	Number
Arizona DHS	<a href="http://www.azdhs.gov/preparedness/state-laboratory/lab-licensure-certification/index.php#laboratory-licensure-home">http://www.azdhs.gov/preparedness/state-laboratory/lab-licensure-certification/index.php#laboratory-licensure-home</a>	AZ0694
Florida DOH (NELAP)	<a href="http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm">http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm</a>	E871020
Louisiana DEQ (NELAP)	<a href="http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx">http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx</a>	05071
Maine DHHS	<a href="http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm">http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm</a>	2016036
Minnesota DOH (NELAP)	<a href="http://www.health.state.mn.us/accreditation">http://www.health.state.mn.us/accreditation</a>	1177034
New Jersey DEP (NELAP)	<a href="http://www.nj.gov/dep/oqa/">http://www.nj.gov/dep/oqa/</a>	CA009
New York DOH (NELAP)	<a href="http://www.wadsworth.org/labcert/elap/elap.html">http://www.wadsworth.org/labcert/elap/elap.html</a>	11221
Oregon PHD (NELAP)	<a href="http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx">http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx</a>	4068-004
Pennsylvania DEP	<a href="http://www.depweb.state.pa.us/labs">http://www.depweb.state.pa.us/labs</a>	68-03307 (Registration)
PJLA (DoD ELAP)	<a href="http://www.pjlabs.com/search-accredited-labs">http://www.pjlabs.com/search-accredited-labs</a>	65818 (Testing)
Texas CEQ (NELAP)	<a href="http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html">http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html</a>	T104704413-16-7
Utah DOH (NELAP)	<a href="http://health.utah.gov/lab/environmental-lab-certification/">http://health.utah.gov/lab/environmental-lab-certification/</a>	CA01627201 6-6
Washington DOE	<a href="http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html">http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html</a>	C946

Analyses were performed according to our laboratory's NELAP and DoD-ELAP approved quality assurance program. A complete listing of specific NELAP and DoD-ELAP certified analytes can be found in the certifications section at [www.alsglobal.com](http://www.alsglobal.com), or at the accreditation body's website.

Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact the laboratory for information corresponding to a particular certification.

# ALS ENVIRONMENTAL

## DETAIL SUMMARY REPORT

Client: RAPCA  
 Project ID: Community Air Toxics Monitoring 2017 / 2017-1

Service Request: P1702996

Date Received: 6/21/2017  
 Time Received: 09:30

ASTM D 5504-12 - Sulfur Can
TO-15 - VOC Cans

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	Container ID	Pi1 (psig)	Pf1 (psig)	ASTM D 5504-12 - Sulfur Can	TO-15 - VOC Cans
Can A - 061817	P1702996-001	Air	6/19/2017	08:01	AS01097	-3.81	3.84	X	X
Can B - 061817	P1702996-002	Air	6/19/2017	08:13	AS01005	-5.02	3.66	X	X



# Air - Chain of Custody Record & Analytical Service Request

2655 Park Center Drive, Suite A  
 Simi Valley, California 93065  
 Phone (805) 526-7161  
 Fax (805) 526-7270

**Requested Turnaround Time in Business Days (Surcharges) please circle**  
 3 Day (50%)

ALS Project No. **P702996**

<b>Company Name &amp; Address (Reporting Information)</b> Regional Air Pollution Control (RAPCA) 117 S. Main St. Dayton, OH 45422		<b>Project Name</b> Community Air Toxics Monitoring 2017	
<b>Project Manager</b> Stephanie Madden		<b>ALS Contact:</b> K. Kaneko	
<b>Phone</b> 937-225-5922		<b>Analysis Method</b>	
<b>Fax</b> 937-225-3486		ASTM 5504	
<b>Email Address for Result Reporting</b> smadden@rapca.org and aroth@rapca.org			

Client Sample ID	Laboratory ID Number	Date	Time	Canister ID (Bar code # - AC, SC, etc.)	Flow Controller ID (Bar code # - FC #)	Canister Start Pressure "Hg	Canister End Pressure "Hg/psig	Sample Volume	TO-15	X	X	Comments e.g. Actual Preservative or specific instructions
Can A - 061817	RAP021	6/18/17- 6/19/17	0803 - 0901	AS01097	SFC00160	-30	-10	6L	X	X		
Can B - 061817	RAP022	6/18/17- 6/19/17	0814 - 0917	AS01005	SFC00020	-30	-14	6L	X	X		

**Sampler (Print & Sign)**  
 Brian Huxtable

<b>Report Tier Levels - please select</b> Tier I - Results (Default if not specified) _____ Tier II (Results + QC Summaries) X _____ Tier III (Results + QC & Calibration Summaries) _____ Tier IV (Data Validation Package) 10% Surcharge _____		EDD required Yes / No _____ Type: _____ Units: _____	Chain of Custody Seal: (Circle) INTACT BROKEN ABSENT	Project Requirements (MRLs, QAPP)
Relinquished by: (Signature) 	Date: 6/19/17 Time: 0915	Received by: (Signature) 	Date: 6/21/17 Time: 0930	Cooler / Blank Temperature _____ °C

## ALS Environmental Sample Acceptance Check Form

Client: RAPCA Work order: P1702996  
 Project: Community Air Toxics Monitoring 2017 / 2017-1  
 Sample(s) received on: 6/21/17 Date opened: 6/21/17 by: ADAVID

**Note:** This form is used for all samples received by ALS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

- |   | Yes                                 | No                                  | N/A                                 |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1 Were <b>sample containers</b> properly marked with client sample ID?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 2 Did <b>sample containers</b> arrive in good condition?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 3 Were <b>chain-of-custody</b> papers used and filled out?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 4 Did <b>sample container labels</b> and/or tags agree with custody papers?                                     | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 5 Was <b>sample volume</b> received adequate for analysis?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 6 Are samples within specified holding times?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 7 Was proper <b>temperature</b> (thermal preservation) of cooler at receipt adhered to?                         | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 8 Were <b>custody seals</b> on outside of cooler/Box/Container?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Location of seal(s)? _____ Sealing Lid?   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Were signature and date included?   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Were seals intact?  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 9 Do containers have appropriate <b>preservation</b> , according to method/SOP or Client specified information? | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Is there a client indication that the submitted samples are <b>pH</b> preserved?                                | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Were <b>VOA vials</b> checked for presence/absence of air bubbles?  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it?       | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 10 <b>Tubes:</b> Are the tubes capped and intact?   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 11 <b>Badges:</b> Are the badges properly capped and intact?  | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| Are dual bed badges separated and individually capped and intact?   | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P1702996-001.01	6.0 L Silonite Can					
P1702996-002.01	6.0 L Silonite Can					

Explain any discrepancies: (include lab sample ID numbers): \_\_\_\_\_

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** RAPCA  
**Client Sample ID:** Can A - 061817  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P1702996-001

Test Code: ASTM D 5504-12  
 Instrument ID: Agilent 7890A/GC22/SCD  
 Analyst: Mike Conejo  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:  
 Container ID: AS01097

Date Collected: 6/19/17  
 Time Collected: 08:01  
 Date Received: 6/21/17  
 Date Analyzed: 6/21/17  
 Time Analyzed: 14:20  
 Volume(s) Analyzed: 1.0 ml(s)

Initial Pressure (psig): -3.81      Final Pressure (psig): 3.84

Canister Dilution Factor: 1.70

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	12	ND	8.5	
463-58-1	Carbonyl Sulfide	ND	21	ND	8.5	
74-93-1	Methyl Mercaptan	ND	17	ND	8.5	
75-08-1	Ethyl Mercaptan	ND	22	ND	8.5	
75-18-3	Dimethyl Sulfide	ND	22	ND	8.5	
75-15-0	Carbon Disulfide	ND	13	ND	4.3	
75-33-2	Isopropyl Mercaptan	ND	26	ND	8.5	
75-66-1	tert-Butyl Mercaptan	ND	31	ND	8.5	
107-03-9	n-Propyl Mercaptan	ND	26	ND	8.5	
624-89-5	Ethyl Methyl Sulfide	ND	26	ND	8.5	
110-02-1	Thiophene	ND	29	ND	8.5	
513-44-0	Isobutyl Mercaptan	ND	31	ND	8.5	
352-93-2	Diethyl Sulfide	ND	31	ND	8.5	
109-79-5	n-Butyl Mercaptan	ND	31	ND	8.5	
624-92-0	Dimethyl Disulfide	ND	16	ND	4.3	
616-44-4	3-Methylthiophene	ND	34	ND	8.5	
110-01-0	Tetrahydrothiophene	ND	31	ND	8.5	
638-02-8	2,5-Dimethylthiophene	ND	39	ND	8.5	
872-55-9	2-Ethylthiophene	ND	39	ND	8.5	
110-81-6	Diethyl Disulfide	ND	21	ND	4.3	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** RAPCA  
**Client Sample ID:** Can B - 061817  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P1702996-002

Test Code: ASTM D 5504-12  
 Instrument ID: Agilent 7890A/GC22/SCD  
 Analyst: Mike Conejo  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:  
 Container ID: AS01005

Date Collected: 6/19/17  
 Time Collected: 08:13  
 Date Received: 6/21/17  
 Date Analyzed: 6/21/17  
 Time Analyzed: 14:37  
 Volume(s) Analyzed: 1.0 ml(s)

Initial Pressure (psig): -5.02      Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	13	ND	9.5	
463-58-1	Carbonyl Sulfide	ND	23	ND	9.5	
74-93-1	Methyl Mercaptan	ND	19	ND	9.5	
75-08-1	Ethyl Mercaptan	ND	24	ND	9.5	
75-18-3	Dimethyl Sulfide	ND	24	ND	9.5	
75-15-0	Carbon Disulfide	ND	15	ND	4.8	
75-33-2	Isopropyl Mercaptan	ND	30	ND	9.5	
75-66-1	tert-Butyl Mercaptan	ND	35	ND	9.5	
107-03-9	n-Propyl Mercaptan	ND	30	ND	9.5	
624-89-5	Ethyl Methyl Sulfide	ND	30	ND	9.5	
110-02-1	Thiophene	ND	33	ND	9.5	
513-44-0	Isobutyl Mercaptan	ND	35	ND	9.5	
352-93-2	Diethyl Sulfide	ND	35	ND	9.5	
109-79-5	n-Butyl Mercaptan	ND	35	ND	9.5	
624-92-0	Dimethyl Disulfide	ND	18	ND	4.8	
616-44-4	3-Methylthiophene	ND	38	ND	9.5	
110-01-0	Tetrahydrothiophene	ND	34	ND	9.5	
638-02-8	2,5-Dimethylthiophene	ND	44	ND	9.5	
872-55-9	2-Ethylthiophene	ND	44	ND	9.5	
110-81-6	Diethyl Disulfide	ND	24	ND	4.8	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.



# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** RAPCA  
**Client Sample ID:** Method Blank  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P170621-MB

Test Code: ASTM D 5504-12  
 Instrument ID: Agilent 7890A/GC22/SCD  
 Analyst: Mike Conejo  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

Date Collected: NA  
 Time Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/21/17  
 Time Analyzed: 08:54  
 Volume(s) Analyzed: 1.0 ml(s)

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	7.0	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	12	ND	5.0	
74-93-1	Methyl Mercaptan	ND	9.8	ND	5.0	
75-08-1	Ethyl Mercaptan	ND	13	ND	5.0	
75-18-3	Dimethyl Sulfide	ND	13	ND	5.0	
75-15-0	Carbon Disulfide	ND	7.8	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	16	ND	5.0	
75-66-1	tert-Butyl Mercaptan	ND	18	ND	5.0	
107-03-9	n-Propyl Mercaptan	ND	16	ND	5.0	
624-89-5	Ethyl Methyl Sulfide	ND	16	ND	5.0	
110-02-1	Thiophene	ND	17	ND	5.0	
513-44-0	Isobutyl Mercaptan	ND	18	ND	5.0	
352-93-2	Diethyl Sulfide	ND	18	ND	5.0	
109-79-5	n-Butyl Mercaptan	ND	18	ND	5.0	
624-92-0	Dimethyl Disulfide	ND	9.6	ND	2.5	
616-44-4	3-Methylthiophene	ND	20	ND	5.0	
110-01-0	Tetrahydrothiophene	ND	18	ND	5.0	
638-02-8	2,5-Dimethylthiophene	ND	23	ND	5.0	
872-55-9	2-Ethylthiophene	ND	23	ND	5.0	
110-81-6	Diethyl Disulfide	ND	12	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

**Client:** RAPCA  
**Client Sample ID:** Lab Control Sample  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
ALS Sample ID: P170621-LCS

Test Code: ASTM D 5504-12  
Instrument ID: Agilent 7890A/GC22/SCD  
Analyst: Mike Conejo  
Sample Type: 6.0 L Silonite Canister  
Test Notes:

Date Collected: NA  
Date Received: NA  
Date Analyzed: 6/21/17  
Volume(s) Analyzed: NA ml(s)

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
7783-06-4	Hydrogen Sulfide	1,000	<b>1,200</b>	<b>120</b>	75-148	
463-58-1	Carbonyl Sulfide	1,000	<b>1,200</b>	<b>120</b>	70-137	
74-93-1	Methyl Mercaptan	1,000	<b>1,190</b>	<b>119</b>	72-139	

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 3

**Client:** RAPCA

**Client Sample ID:** Can A - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-001

Test Code: EPA TO-15

Date Collected: 6/19/17

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Date Received: 6/21/17

Analyst: Lusine Hakobyan

Date Analyzed: 6/23/17

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS01097

Initial Pressure (psig): -3.81      Final Pressure (psig): 3.84

Canister Dilution Factor: 1.70

CAS #	Compound	Result	MRL	MDL	Result	MRL	MDL	Data
		µg/m <sup>3</sup>	µg/m <sup>3</sup>	µg/m <sup>3</sup>	ppbV	ppbV	ppbV	Qualifier
115-07-1	Propene	1.0	0.85	0.24	0.59	0.49	0.14	
75-71-8	Dichlorodifluoromethane (CFC 12)	2.2	0.85	0.29	0.44	0.17	0.058	
74-87-3	Chloromethane	0.42	0.85	0.26	0.20	0.41	0.12	J
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.85	0.32	ND	0.12	0.046	
75-01-4	Vinyl Chloride	ND	0.85	0.29	ND	0.33	0.11	
106-99-0	1,3-Butadiene	ND	0.85	0.37	ND	0.38	0.17	
74-83-9	Bromomethane	ND	0.85	0.32	ND	0.22	0.083	
75-00-3	Chloroethane	ND	0.85	0.29	ND	0.32	0.11	
67-64-1	Acetone	7.2	8.5	1.3	3.0	3.6	0.55	J
75-69-4	Trichlorofluoromethane (CFC 11)	1.2	0.85	0.29	0.21	0.15	0.051	
67-63-0	2-Propanol (Isopropyl Alcohol)	4.1	8.5	0.71	1.7	3.5	0.29	J
75-35-4	1,1-Dichloroethene	ND	0.85	0.29	ND	0.21	0.073	
75-09-2	Methylene Chloride	0.39	0.85	0.29	0.11	0.24	0.083	J
76-13-1	Trichlorotrifluoroethane (CFC 113)	0.44	0.85	0.29	0.058	0.11	0.038	J
75-15-0	Carbon Disulfide	ND	8.5	0.26	ND	2.7	0.082	
156-60-5	trans-1,2-Dichloroethene	ND	0.85	0.32	ND	0.21	0.081	
75-34-3	1,1-Dichloroethane	ND	0.85	0.27	ND	0.21	0.067	
1634-04-4	Methyl tert-Butyl Ether	ND	0.85	0.29	ND	0.24	0.080	
108-05-4	Vinyl Acetate	ND	8.5	1.1	ND	2.4	0.31	
78-93-3	2-Butanone (MEK)	1.1	8.5	0.36	0.37	2.9	0.12	J
156-59-2	cis-1,2-Dichloroethene	ND	0.85	0.27	ND	0.21	0.069	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 2 of 3

**Client:** RAPCA

**Client Sample ID:** Can A - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-001

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Analyst: Lusine Hakobyan

Sample Type: 6.0 L Silonite Canister

Test Notes:

Container ID: AS01097

Date Collected: 6/19/17

Date Received: 6/21/17

Date Analyzed: 6/23/17

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -3.81      Final Pressure (psig): 3.84

Canister Dilution Factor: 1.70

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	MDL ppbV	Data Qualifier
141-78-6	Ethyl Acetate	ND	1.7	0.60	ND	0.47	0.17	
110-54-3	n-Hexane	<b>0.28</b>	0.85	0.26	<b>0.079</b>	0.24	0.072	<b>J</b>
67-66-3	Chloroform	ND	0.85	0.29	ND	0.17	0.059	
109-99-9	Tetrahydrofuran (THF)	ND	0.85	0.34	ND	0.29	0.12	
107-06-2	1,2-Dichloroethane	ND	0.85	0.27	ND	0.21	0.067	
71-55-6	1,1,1-Trichloroethane	ND	0.85	0.29	ND	0.16	0.053	
71-43-2	Benzene	ND	0.85	0.27	ND	0.27	0.085	
56-23-5	Carbon Tetrachloride	<b>0.36</b>	0.85	0.26	<b>0.057</b>	0.14	0.041	<b>J</b>
110-82-7	Cyclohexane	ND	1.7	0.49	ND	0.49	0.14	
78-87-5	1,2-Dichloropropane	ND	0.85	0.27	ND	0.18	0.059	
75-27-4	Bromodichloromethane	ND	0.85	0.26	ND	0.13	0.038	
79-01-6	Trichloroethene	ND	0.85	0.24	ND	0.16	0.044	
123-91-1	1,4-Dioxane	ND	0.85	0.27	ND	0.24	0.076	
142-82-5	n-Heptane	ND	0.85	0.29	ND	0.21	0.071	
10061-01-5	cis-1,3-Dichloropropene	ND	0.85	0.24	ND	0.19	0.052	
108-10-1	4-Methyl-2-pentanone	ND	0.85	0.27	ND	0.21	0.066	
10061-02-6	trans-1,3-Dichloropropene	ND	0.85	0.27	ND	0.19	0.060	
79-00-5	1,1,2-Trichloroethane	ND	0.85	0.27	ND	0.16	0.050	
108-88-3	Toluene	<b>0.82</b>	0.85	0.29	<b>0.22</b>	0.23	0.077	<b>J</b>
591-78-6	2-Hexanone	ND	0.85	0.27	ND	0.21	0.066	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 3 of 3

**Client:** RAPCA

**Client Sample ID:** Can A - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-001

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Analyst: Lusine Hakobyan

Sample Type: 6.0 L Silonite Canister

Test Notes:

Container ID: AS01097

Date Collected: 6/19/17

Date Received: 6/21/17

Date Analyzed: 6/23/17

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -3.81      Final Pressure (psig): 3.84

Canister Dilution Factor: 1.70

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	MDL ppbV	Data Qualifier
124-48-1	Dibromochloromethane	ND	0.85	0.27	ND	0.10	0.032	
106-93-4	1,2-Dibromoethane	ND	0.85	0.27	ND	0.11	0.035	
127-18-4	Tetrachloroethene	ND	0.85	0.24	ND	0.13	0.035	
108-90-7	Chlorobenzene	ND	0.85	0.27	ND	0.18	0.059	
100-41-4	Ethylbenzene	ND	0.85	0.27	ND	0.20	0.063	
179601-23-1	m,p-Xylenes	ND	1.7	0.51	ND	0.39	0.12	
75-25-2	Bromoform	ND	0.85	0.26	ND	0.082	0.025	
100-42-5	Styrene	ND	0.85	0.26	ND	0.20	0.060	
95-47-6	o-Xylene	ND	0.85	0.26	ND	0.20	0.059	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.85	0.26	ND	0.12	0.037	
98-82-8	Cumene	ND	0.85	0.26	ND	0.17	0.052	
622-96-8	4-Ethyltoluene	ND	0.85	0.27	ND	0.17	0.055	
108-67-8	1,3,5-Trimethylbenzene	ND	0.85	0.27	ND	0.17	0.055	
95-63-6	1,2,4-Trimethylbenzene	ND	0.85	0.26	ND	0.17	0.052	
100-44-7	Benzyl Chloride	ND	0.85	0.19	ND	0.16	0.036	
541-73-1	1,3-Dichlorobenzene	ND	0.85	0.26	ND	0.14	0.042	
106-46-7	1,4-Dichlorobenzene	ND	0.85	0.24	ND	0.14	0.040	
95-50-1	1,2-Dichlorobenzene	ND	0.85	0.26	ND	0.14	0.042	
120-82-1	1,2,4-Trichlorobenzene	ND	0.85	0.27	ND	0.11	0.037	
91-20-3	Naphthalene	ND	0.85	0.31	ND	0.16	0.058	
87-68-3	Hexachlorobutadiene	ND	0.85	0.24	ND	0.080	0.022	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 3

**Client:** RAPCA

**Client Sample ID:** Can B - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-002

Test Code: EPA TO-15

Date Collected: 6/19/17

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Date Received: 6/21/17

Analyst: Lusine Hakobyan

Date Analyzed: 6/22/17

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS01005

Initial Pressure (psig): -5.02      Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

CAS #	Compound	Result	MRL	MDL	Result	MRL	MDL	Data
		µg/m <sup>3</sup>	µg/m <sup>3</sup>	µg/m <sup>3</sup>	ppbV	ppbV	ppbV	Qualifier
115-07-1	Propene	<b>0.54</b>	0.95	0.27	<b>0.31</b>	0.55	0.15	<b>J</b>
75-71-8	Dichlorodifluoromethane (CFC 12)	<b>2.3</b>	0.95	0.32	<b>0.47</b>	0.19	0.065	
74-87-3	Chloromethane	<b>0.49</b>	0.95	0.29	<b>0.24</b>	0.46	0.14	<b>J</b>
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.95	0.36	ND	0.14	0.052	
75-01-4	Vinyl Chloride	ND	0.95	0.32	ND	0.37	0.13	
106-99-0	1,3-Butadiene	ND	0.95	0.42	ND	0.43	0.19	
74-83-9	Bromomethane	ND	0.95	0.36	ND	0.24	0.093	
75-00-3	Chloroethane	ND	0.95	0.32	ND	0.36	0.12	
67-64-1	Acetone	<b>7.3</b>	9.5	1.5	<b>3.1</b>	4.0	0.62	<b>J</b>
75-69-4	Trichlorofluoromethane (CFC 11)	<b>1.1</b>	0.95	0.32	<b>0.20</b>	0.17	0.058	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	9.5	0.80	ND	3.9	0.32	
75-35-4	1,1-Dichloroethene	ND	0.95	0.32	ND	0.24	0.081	
75-09-2	Methylene Chloride	<b>1.0</b>	0.95	0.32	<b>0.29</b>	0.27	0.093	
76-13-1	Trichlorotrifluoroethane (CFC 113)	<b>0.47</b>	0.95	0.32	<b>0.061</b>	0.12	0.042	<b>J</b>
75-15-0	Carbon Disulfide	ND	9.5	0.29	ND	3.1	0.092	
156-60-5	trans-1,2-Dichloroethene	ND	0.95	0.36	ND	0.24	0.091	
75-34-3	1,1-Dichloroethane	ND	0.95	0.30	ND	0.23	0.075	
1634-04-4	Methyl tert-Butyl Ether	ND	0.95	0.32	ND	0.26	0.090	
108-05-4	Vinyl Acetate	ND	9.5	1.2	ND	2.7	0.35	
78-93-3	2-Butanone (MEK)	<b>1.3</b>	9.5	0.40	<b>0.45</b>	3.2	0.14	<b>J</b>
156-59-2	cis-1,2-Dichloroethene	ND	0.95	0.30	ND	0.24	0.077	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 2 of 3

**Client:** RAPCA

**Client Sample ID:** Can B - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-002

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Analyst: Lusine Hakobyan

Sample Type: 6.0 L Silonite Canister

Test Notes:

Container ID: AS01005

Date Collected: 6/19/17

Date Received: 6/21/17

Date Analyzed: 6/22/17

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -5.02      Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

CAS #	Compound	Result	MRL	MDL	Result	MRL	MDL	Data
		µg/m <sup>3</sup>	µg/m <sup>3</sup>	µg/m <sup>3</sup>	ppbV	ppbV	ppbV	Qualifier
141-78-6	Ethyl Acetate	<b>0.84</b>	1.9	0.67	<b>0.23</b>	0.53	0.18	<b>J</b>
110-54-3	n-Hexane	<b>0.33</b>	0.95	0.29	<b>0.093</b>	0.27	0.081	<b>J</b>
67-66-3	Chloroform	ND	0.95	0.32	ND	0.19	0.066	
109-99-9	Tetrahydrofuran (THF)	ND	0.95	0.38	ND	0.32	0.13	
107-06-2	1,2-Dichloroethane	ND	0.95	0.30	ND	0.23	0.075	
71-55-6	1,1,1-Trichloroethane	ND	0.95	0.32	ND	0.17	0.059	
71-43-2	Benzene	ND	0.95	0.30	ND	0.30	0.095	
56-23-5	Carbon Tetrachloride	<b>0.38</b>	0.95	0.29	<b>0.060</b>	0.15	0.045	<b>J</b>
110-82-7	Cyclohexane	ND	1.9	0.55	ND	0.55	0.16	
78-87-5	1,2-Dichloropropane	ND	0.95	0.30	ND	0.21	0.066	
75-27-4	Bromodichloromethane	ND	0.95	0.29	ND	0.14	0.043	
79-01-6	Trichloroethene	ND	0.95	0.27	ND	0.18	0.050	
123-91-1	1,4-Dioxane	ND	0.95	0.30	ND	0.26	0.084	
142-82-5	n-Heptane	ND	0.95	0.32	ND	0.23	0.079	
10061-01-5	cis-1,3-Dichloropropene	ND	0.95	0.27	ND	0.21	0.059	
108-10-1	4-Methyl-2-pentanone	ND	0.95	0.30	ND	0.23	0.074	
10061-02-6	trans-1,3-Dichloropropene	ND	0.95	0.30	ND	0.21	0.067	
79-00-5	1,1,2-Trichloroethane	ND	0.95	0.30	ND	0.17	0.056	
108-88-3	Toluene	<b>1.1</b>	0.95	0.32	<b>0.30</b>	0.25	0.086	
591-78-6	2-Hexanone	ND	0.95	0.30	ND	0.23	0.074	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 3 of 3

**Client:** RAPCA

**Client Sample ID:** Can B - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-002

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Analyst: Lusine Hakobyan

Sample Type: 6.0 L Silonite Canister

Test Notes:

Container ID: AS01005

Date Collected: 6/19/17

Date Received: 6/21/17

Date Analyzed: 6/22/17

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -5.02      Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	MDL ppbV	Data Qualifier
124-48-1	Dibromochloromethane	ND	0.95	0.30	ND	0.11	0.036	
106-93-4	1,2-Dibromoethane	ND	0.95	0.30	ND	0.12	0.040	
127-18-4	Tetrachloroethene	ND	0.95	0.27	ND	0.14	0.039	
108-90-7	Chlorobenzene	<b>0.66</b>	0.95	0.30	<b>0.14</b>	0.21	0.066	<b>J</b>
100-41-4	Ethylbenzene	ND	0.95	0.30	ND	0.22	0.070	
179601-23-1	m,p-Xylenes	<b>0.68</b>	1.9	0.57	<b>0.16</b>	0.44	0.13	<b>J</b>
75-25-2	Bromoform	ND	0.95	0.29	ND	0.092	0.028	
100-42-5	Styrene	ND	0.95	0.29	ND	0.22	0.067	
95-47-6	o-Xylene	ND	0.95	0.29	ND	0.22	0.066	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.95	0.29	ND	0.14	0.042	
98-82-8	Cumene	ND	0.95	0.29	ND	0.19	0.058	
622-96-8	4-Ethyltoluene	ND	0.95	0.30	ND	0.19	0.062	
108-67-8	1,3,5-Trimethylbenzene	ND	0.95	0.30	ND	0.19	0.062	
95-63-6	1,2,4-Trimethylbenzene	<b>0.37</b>	0.95	0.29	<b>0.075</b>	0.19	0.058	<b>J</b>
100-44-7	Benzyl Chloride	ND	0.95	0.21	ND	0.18	0.040	
541-73-1	1,3-Dichlorobenzene	ND	0.95	0.29	ND	0.16	0.047	
106-46-7	1,4-Dichlorobenzene	ND	0.95	0.27	ND	0.16	0.044	
95-50-1	1,2-Dichlorobenzene	ND	0.95	0.29	ND	0.16	0.047	
120-82-1	1,2,4-Trichlorobenzene	ND	0.95	0.30	ND	0.13	0.041	
91-20-3	Naphthalene	ND	0.95	0.34	ND	0.18	0.065	
87-68-3	Hexachlorobutadiene	ND	0.95	0.27	ND	0.089	0.025	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.



**ALS ENVIRONMENTAL**

RESULTS OF ANALYSIS

Page 1 of 3

**Client:** RAPCA  
**Client Sample ID:** Method Blank  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P170622-MB

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result	MRL	MDL	Result	MRL	MDL	Data
		µg/m <sup>3</sup>	µg/m <sup>3</sup>	µg/m <sup>3</sup>	ppbV	ppbV	ppbV	Qualifier
115-07-1	Propene	ND	0.50	0.14	ND	0.29	0.081	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	0.50	0.17	ND	0.10	0.034	
74-87-3	Chloromethane	ND	0.50	0.15	ND	0.24	0.073	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.50	0.19	ND	0.072	0.027	
75-01-4	Vinyl Chloride	ND	0.50	0.17	ND	0.20	0.067	
106-99-0	1,3-Butadiene	ND	0.50	0.22	ND	0.23	0.099	
74-83-9	Bromomethane	ND	0.50	0.19	ND	0.13	0.049	
75-00-3	Chloroethane	ND	0.50	0.17	ND	0.19	0.064	
67-64-1	Acetone	ND	5.0	0.77	ND	2.1	0.32	
75-69-4	Trichlorofluoromethane (CFC 11)	ND	0.50	0.17	ND	0.089	0.030	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	5.0	0.42	ND	2.0	0.17	
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	ND	0.13	0.043	
75-09-2	Methylene Chloride	ND	0.50	0.17	ND	0.14	0.049	
76-13-1	Trichlorotrifluoroethane (CFC 113)	ND	0.50	0.17	ND	0.065	0.022	
75-15-0	Carbon Disulfide	ND	5.0	0.15	ND	1.6	0.048	
156-60-5	trans-1,2-Dichloroethene	ND	0.50	0.19	ND	0.13	0.048	
75-34-3	1,1-Dichloroethane	ND	0.50	0.16	ND	0.12	0.040	
1634-04-4	Methyl tert-Butyl Ether	ND	0.50	0.17	ND	0.14	0.047	
108-05-4	Vinyl Acetate	ND	5.0	0.65	ND	1.4	0.18	
78-93-3	2-Butanone (MEK)	ND	5.0	0.21	ND	1.7	0.071	
156-59-2	cis-1,2-Dichloroethene	ND	0.50	0.16	ND	0.13	0.040	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 2 of 3

**Client:** RAPCA  
**Client Sample ID:** Method Blank  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P170622-MB

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	MDL ppbV	Data Qualifier
141-78-6	Ethyl Acetate	ND	1.0	0.35	ND	0.28	0.097	
110-54-3	n-Hexane	ND	0.50	0.15	ND	0.14	0.043	
67-66-3	Chloroform	ND	0.50	0.17	ND	0.10	0.035	
109-99-9	Tetrahydrofuran (THF)	ND	0.50	0.20	ND	0.17	0.068	
107-06-2	1,2-Dichloroethane	ND	0.50	0.16	ND	0.12	0.040	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.17	ND	0.092	0.031	
71-43-2	Benzene	ND	0.50	0.16	ND	0.16	0.050	
56-23-5	Carbon Tetrachloride	ND	0.50	0.15	ND	0.080	0.024	
110-82-7	Cyclohexane	ND	1.0	0.29	ND	0.29	0.084	
78-87-5	1,2-Dichloropropane	ND	0.50	0.16	ND	0.11	0.035	
75-27-4	Bromodichloromethane	ND	0.50	0.15	ND	0.075	0.022	
79-01-6	Trichloroethene	ND	0.50	0.14	ND	0.093	0.026	
123-91-1	1,4-Dioxane	ND	0.50	0.16	ND	0.14	0.044	
142-82-5	n-Heptane	ND	0.50	0.17	ND	0.12	0.041	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	ND	0.11	0.031	
108-10-1	4-Methyl-2-pentanone	ND	0.50	0.16	ND	0.12	0.039	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	ND	0.11	0.035	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.16	ND	0.092	0.029	
108-88-3	Toluene	ND	0.50	0.17	ND	0.13	0.045	
591-78-6	2-Hexanone	ND	0.50	0.16	ND	0.12	0.039	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 3 of 3

**Client:** RAPCA  
**Client Sample ID:** Method Blank  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P170622-MB

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m <sup>3</sup>	MRL µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Result ppbV	MRL ppbV	MDL ppbV	Data Qualifier
124-48-1	Dibromochloromethane	ND	0.50	0.16	ND	0.059	0.019	
106-93-4	1,2-Dibromoethane	ND	0.50	0.16	ND	0.065	0.021	
127-18-4	Tetrachloroethene	ND	0.50	0.14	ND	0.074	0.021	
108-90-7	Chlorobenzene	ND	0.50	0.16	ND	0.11	0.035	
100-41-4	Ethylbenzene	ND	0.50	0.16	ND	0.12	0.037	
179601-23-1	m,p-Xylenes	ND	1.0	0.30	ND	0.23	0.069	
75-25-2	Bromoform	ND	0.50	0.15	ND	0.048	0.015	
100-42-5	Styrene	ND	0.50	0.15	ND	0.12	0.035	
95-47-6	o-Xylene	ND	0.50	0.15	ND	0.12	0.035	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.15	ND	0.073	0.022	
98-82-8	Cumene	ND	0.50	0.15	ND	0.10	0.031	
622-96-8	4-Ethyltoluene	ND	0.50	0.16	ND	0.10	0.033	
108-67-8	1,3,5-Trimethylbenzene	ND	0.50	0.16	ND	0.10	0.033	
95-63-6	1,2,4-Trimethylbenzene	ND	0.50	0.15	ND	0.10	0.031	
100-44-7	Benzyl Chloride	ND	0.50	0.11	ND	0.097	0.021	
541-73-1	1,3-Dichlorobenzene	ND	0.50	0.15	ND	0.083	0.025	
106-46-7	1,4-Dichlorobenzene	ND	0.50	0.14	ND	0.083	0.023	
95-50-1	1,2-Dichlorobenzene	ND	0.50	0.15	ND	0.083	0.025	
120-82-1	1,2,4-Trichlorobenzene	ND	0.50	0.16	ND	0.067	0.022	
91-20-3	Naphthalene	ND	0.50	0.18	ND	0.095	0.034	
87-68-3	Hexachlorobutadiene	ND	0.50	0.14	ND	0.047	0.013	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

# ALS ENVIRONMENTAL

## SURROGATE SPIKE RECOVERY RESULTS

Page 1 of 1

**Client:** RAPCA  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister(s)  
 Test Notes:

Date(s) Collected: 6/19/17  
 Date(s) Received: 6/21/17  
 Date(s) Analyzed: 6/22 - 6/23/17

Client Sample ID	ALS Sample ID	1,2-Dichloroethane-d4	Toluene-d8	Bromofluorobenzene	Acceptance Limits	Data Qualifier
		Percent Recovered	Percent Recovered	Percent Recovered		
Method Blank	P170622-MB	<b>88</b>	<b>103</b>	<b>94</b>	70-130	
Lab Control Sample	P170622-LCS	<b>86</b>	<b>100</b>	<b>96</b>	70-130	
Can A - 061817	P1702996-001	<b>89</b>	<b>103</b>	<b>95</b>	70-130	
Can B - 061817	P1702996-002	<b>89</b>	<b>103</b>	<b>94</b>	70-130	
Can B - 061817	P1702996-002DUP	<b>92</b>	<b>103</b>	<b>94</b>	70-130	

Surrogate percent recovery is verified and accepted based on the on-column result.

Reported results are shown in concentration units and as a result of the calculation, may vary slightly from the on-column percent recovery.

# ALS ENVIRONMENTAL

## LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 3

**Client:** RAPCA  
**Client Sample ID:** Lab Control Sample  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996  
 ALS Sample ID: P170622-LCS

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount µg/m <sup>3</sup>	Result µg/m <sup>3</sup>	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
115-07-1	Propene	210	232	110	52-127	
75-71-8	Dichlorodifluoromethane (CFC 12)	210	186	89	68-109	
74-87-3	Chloromethane	210	216	103	51-130	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	211	185	88	66-114	
75-01-4	Vinyl Chloride	210	215	102	61-125	
106-99-0	1,3-Butadiene	210	281	134	62-144	
74-83-9	Bromomethane	210	207	99	73-123	
75-00-3	Chloroethane	210	246	117	69-122	
67-64-1	Acetone	1,060	1200	113	57-117	
75-69-4	Trichlorofluoromethane (CFC 11)	210	178	85	63-98	
67-63-0	2-Propanol (Isopropyl Alcohol)	424	468	110	66-121	
75-35-4	1,1-Dichloroethene	213	223	105	76-118	
75-09-2	Methylene Chloride	212	225	106	60-118	
76-13-1	Trichlorotrifluoroethane (CFC 113)	212	197	93	73-114	
75-15-0	Carbon Disulfide	213	226	106	57-102	L
156-60-5	trans-1,2-Dichloroethene	213	230	108	74-123	
75-34-3	1,1-Dichloroethane	212	209	99	69-111	
1634-04-4	Methyl tert-Butyl Ether	213	210	99	69-113	
108-05-4	Vinyl Acetate	1,060	1260	119	76-128	
78-93-3	2-Butanone (MEK)	212	259	122	63-127	
156-59-2	cis-1,2-Dichloroethene	212	215	101	72-117	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result. Reported results are shown in concentration units and as a result of the calculation, may vary slightly. L = Laboratory control sample recovery outside the specified limits, results may be biased high.

# ALS ENVIRONMENTAL

## LABORATORY CONTROL SAMPLE SUMMARY

Page 2 of 3

**Client:** RAPCA  
**Client Sample ID:** Lab Control Sample  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

ALS Project ID: P1702996  
 ALS Sample ID: P170622-LCS

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount µg/m <sup>3</sup>	Result µg/m <sup>3</sup>	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
141-78-6	Ethyl Acetate	426	509	119	68-127	
110-54-3	n-Hexane	213	209	98	55-116	
67-66-3	Chloroform	212	196	92	70-109	
109-99-9	Tetrahydrofuran (THF)	213	220	103	72-113	
107-06-2	1,2-Dichloroethane	212	181	85	69-113	
71-55-6	1,1,1-Trichloroethane	212	191	90	72-115	
71-43-2	Benzene	212	215	101	65-107	
56-23-5	Carbon Tetrachloride	213	193	91	71-113	
110-82-7	Cyclohexane	425	439	103	71-115	
78-87-5	1,2-Dichloropropane	212	227	107	71-115	
75-27-4	Bromodichloromethane	214	208	97	75-118	
79-01-6	Trichloroethene	212	204	96	68-114	
123-91-1	1,4-Dioxane	213	235	110	81-131	
142-82-5	n-Heptane	213	212	100	68-116	
10061-01-5	cis-1,3-Dichloropropene	210	233	111	77-126	
108-10-1	4-Methyl-2-pentanone	213	247	116	69-126	
10061-02-6	trans-1,3-Dichloropropene	213	230	108	79-125	
79-00-5	1,1,2-Trichloroethane	212	219	103	75-119	
108-88-3	Toluene	212	215	101	59-118	
591-78-6	2-Hexanone	213	247	116	69-129	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result.  
 Reported results are shown in concentration units and as a result of the calculation, may vary slightly.

# ALS ENVIRONMENTAL

## LABORATORY CONTROL SAMPLE SUMMARY

Page 3 of 3

**Client:** RAPCA  
**Client Sample ID:** Lab Control Sample  
**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:

ALS Project ID: P1702996  
 ALS Sample ID: P170622-LCS

Date Collected: NA  
 Date Received: NA  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount µg/m <sup>3</sup>	Result µg/m <sup>3</sup>	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
124-48-1	Dibromochloromethane	213	219	103	74-136	
106-93-4	1,2-Dibromoethane	212	228	108	73-131	
127-18-4	Tetrachloroethene	213	201	94	65-130	
108-90-7	Chlorobenzene	212	213	100	68-120	
100-41-4	Ethylbenzene	212	209	99	68-122	
179601-23-1	m,p-Xylenes	424	414	98	68-123	
75-25-2	Bromoform	212	228	108	69-130	
100-42-5	Styrene	212	226	107	71-133	
95-47-6	o-Xylene	212	213	100	68-122	
79-34-5	1,1,2,2-Tetrachloroethane	212	224	106	69-130	
98-82-8	Cumene	212	201	95	70-123	
622-96-8	4-Ethyltoluene	212	215	101	67-130	
108-67-8	1,3,5-Trimethylbenzene	212	199	94	67-124	
95-63-6	1,2,4-Trimethylbenzene	212	208	98	67-129	
100-44-7	Benzyl Chloride	212	253	119	79-138	
541-73-1	1,3-Dichlorobenzene	212	217	102	65-136	
106-46-7	1,4-Dichlorobenzene	213	211	99	66-141	
95-50-1	1,2-Dichlorobenzene	212	212	100	67-136	
120-82-1	1,2,4-Trichlorobenzene	212	218	103	64-134	
91-20-3	Naphthalene	214	237	111	62-136	
87-68-3	Hexachlorobutadiene	213	192	90	60-133	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result.  
 Reported results are shown in concentration units and as a result of the calculation, may vary slightly.

**ALS ENVIRONMENTAL**

LABORATORY DUPLICATE SUMMARY RESULTS

Page 1 of 3

**Client:** RAPCA  
**Client Sample ID:** Can B - 061817

ALS Project ID: P1702996  
 ALS Sample ID: P1702996-002DUP

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:  
 Container ID: AS01005

Date Collected: 6/19/17  
 Date Received: 6/21/17  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -5.02

Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

Compound	Sample Result		Duplicate Sample Result		Average µg/m <sup>3</sup>	% RPD	RPD Limit	Data Qualifier
	µg/m <sup>3</sup>	ppbV	µg/m <sup>3</sup>	ppbV				
Propene	0.536	0.311	0.595	0.346	0.5655	10	25	J
Dichlorodifluoromethane (CFC 12)	2.31	0.467	2.37	0.479	2.34	3	25	
Chloromethane	0.486	0.236	0.418	0.203	0.452	15	25	J
1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	ND	ND	ND	-	-	25	
Vinyl Chloride	ND	ND	ND	ND	-	-	25	
1,3-Butadiene	ND	ND	ND	ND	-	-	25	
Bromomethane	ND	ND	ND	ND	-	-	25	
Chloroethane	ND	ND	ND	ND	-	-	25	
Acetone	7.30	3.08	7.43	3.13	7.365	2	25	J
Trichlorofluoromethane	1.12	0.200	1.15	0.204	1.135	3	25	
2-Propanol (Isopropyl Alcohol)	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethene	ND	ND	ND	ND	-	-	25	
Methylene Chloride	1.01	0.291	1.04	0.300	1.025	3	25	
Trichlorotrifluoroethane	0.467	0.0610	0.475	0.0620	0.471	2	25	J
Carbon Disulfide	ND	ND	ND	ND	-	-	25	
trans-1,2-Dichloroethene	ND	ND	ND	ND	-	-	25	
1,1-Dichloroethane	ND	ND	ND	ND	-	-	25	
Methyl tert-Butyl Ether	ND	ND	ND	ND	-	-	25	
Vinyl Acetate	ND	ND	ND	ND	-	-	25	
2-Butanone (MEK)	1.32	0.449	1.29	0.437	1.305	2	25	J
cis-1,2-Dichloroethene	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.



# ALS ENVIRONMENTAL

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 2 of 3

**Client:** RAPCA  
**Client Sample ID:** Can B - 061817

ALS Project ID: P1702996  
 ALS Sample ID: P1702996-002DUP

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

Test Code: EPA TO-15  
 Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13  
 Analyst: Lusine Hakobyan  
 Sample Type: 6.0 L Silonite Canister  
 Test Notes:  
 Container ID: AS01005

Date Collected: 6/19/17  
 Date Received: 6/21/17  
 Date Analyzed: 6/22/17  
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -5.02

Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

Compound	Sample Result		Duplicate Sample Result		Average µg/m <sup>3</sup>	% RPD	RPD Limit	Data Qualifier
	µg/m <sup>3</sup>	ppbV	µg/m <sup>3</sup>	ppbV				
Ethyl Acetate	0.844	0.234	0.749	0.208	0.7965	12	25	J
n-Hexane	0.329	0.0933	0.321	0.0911	0.325	2	25	J
Chloroform	ND	ND	ND	ND	-	-	25	
Tetrahydrofuran (THF)	ND	ND	ND	ND	-	-	25	
1,2-Dichloroethane	ND	ND	ND	ND	-	-	25	
1,1,1-Trichloroethane	ND	ND	ND	ND	-	-	25	
Benzene	ND	ND	ND	ND	-	-	25	
Carbon Tetrachloride	0.376	0.0598	0.393	0.0625	0.3845	4	25	J
Cyclohexane	ND	ND	ND	ND	-	-	25	
1,2-Dichloropropane	ND	ND	ND	ND	-	-	25	
Bromodichloromethane	ND	ND	ND	ND	-	-	25	
Trichloroethene	ND	ND	ND	ND	-	-	25	
1,4-Dioxane	ND	ND	ND	ND	-	-	25	
n-Heptane	ND	ND	ND	ND	-	-	25	
cis-1,3-Dichloropropene	ND	ND	ND	ND	-	-	25	
4-Methyl-2-pentanone	ND	ND	ND	ND	-	-	25	
trans-1,3-Dichloropropene	ND	ND	ND	ND	-	-	25	
1,1,2-Trichloroethane	ND	ND	ND	ND	-	-	25	
Toluene	1.14	0.302	1.12	0.297	1.13	2	25	
2-Hexanone	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## LABORATORY DUPLICATE SUMMARY RESULTS

Page 3 of 3

**Client:** RAPCA

**Client Sample ID:** Can B - 061817

**Client Project ID:** Community Air Toxics Monitoring 2017 / 2017-1

ALS Project ID: P1702996

ALS Sample ID: P1702996-002DUP

Test Code: EPA TO-15

Date Collected: 6/19/17

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Date Received: 6/21/17

Analyst: Lusine Hakobyan

Date Analyzed: 6/22/17

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 1.00 Liter(s)

Test Notes:

Container ID: AS01005

Initial Pressure (psig): -5.02

Final Pressure (psig): 3.66

Canister Dilution Factor: 1.90

Compound	Sample Result		Duplicate Sample Result		Average µg/m <sup>3</sup>	% RPD	RPD Limit	Data Qualifier
	µg/m <sup>3</sup>	ppbV	µg/m <sup>3</sup>	ppbV				
Dibromochloromethane	ND	ND	ND	ND	-	-	25	
1,2-Dibromoethane	ND	ND	ND	ND	-	-	25	
Tetrachloroethene	ND	ND	ND	ND	-	-	25	
Chlorobenzene	0.663	0.144	0.663	0.144	0.663	0	25	J
Ethylbenzene	ND	ND	ND	ND	-	-	25	
m,p-Xylenes	0.684	0.158	0.671	0.154	0.6775	2	25	J
Bromoform	ND	ND	ND	ND	-	-	25	
Styrene	ND	ND	ND	ND	-	-	25	
o-Xylene	ND	ND	ND	ND	-	-	25	
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	-	-	25	
Cumene	ND	ND	ND	ND	-	-	25	
4-Ethyltoluene	ND	ND	ND	ND	-	-	25	
1,3,5-Trimethylbenzene	ND	ND	ND	ND	-	-	25	
1,2,4-Trimethylbenzene	0.371	0.0754	0.367	0.0746	0.369	1	25	J
Benzyl Chloride	ND	ND	ND	ND	-	-	25	
1,3-Dichlorobenzene	ND	ND	ND	ND	-	-	25	
1,4-Dichlorobenzene	ND	ND	ND	ND	-	-	25	
1,2-Dichlorobenzene	ND	ND	ND	ND	-	-	25	
1,2,4-Trichlorobenzene	ND	ND	ND	ND	-	-	25	
Naphthalene	ND	ND	ND	ND	-	-	25	
Hexachlorobutadiene	ND	ND	ND	ND	-	-	25	

ND = Compound was analyzed for, but not detected above the laboratory detection limit.

J = The result is an estimated concentration that is less than the MRL but greater than or equal to the MDL.